


Nutri-Key Iron Shuttle™



Chlorophyll management is closely related to iron availability.

Iron is the most abundant element, but this reluctant element is often not plant available. Iron plays a major role in maintaining the maximum green required for high-production photosynthesis. Nutri-Key Iron Shuttle™ offers chelated iron in a balanced formulation that covers the full spectrum of background nutrition.

BENEFITS

- Chelates and delivers more nutrition than previously possible.
- Iron is essential for the manufacture of chlorophyll, the sugar producing green pigment in plants.
- To the best of our knowledge, Nutri-Key Iron Shuttle™ features the highest chelated iron percentage ever produced.
- Contains “background nutrients” to avoid the problems that can occur when the correction of one shortage triggers another shortage due to the antagonistic effect of certain elements.

PACKAGING:

1 L, 5 L, 20 L,
200 L, 1000 L

Product Code: NKFES

**SHUTTLE
LIQUID
FERTILISERS**



Nutri-Key Iron Shuttle™

APPLICATION RATES

Foliar Spray: (preferred application method)

Vegetables

0.5 L per 100 L water up to 2.5 L/ha equivalent
Apply as required

Orchards & Vineyards

0.5 L per 100 L water up to 5 L/ha equivalent
Apply as required

Ornamentals & Turf

0.5 L per 100 L water up to 3 L/ha equivalent
Apply as required

Broadacre Crops

0.5 – 1 L/ha in 60 – 100 L water, depending on canopy closure
Apply as required

Pasture

0.5 – 1 L/ha in 60 – 100 L water
Apply as required

Spot-Spraying

25 mL per 10 L water
Apply as required

Fertigation:

Vegetables, Ornamentals & Turf

3 L/ha, apply as required

Orchards & Vineyards

3 – 5 L/ha, apply as required

Home Garden Application:

Dilute 7.5 mL per 9 L watering can and apply the diluted mix at a rate of 1 litre per square metre
Do not apply more than 6 times per year without demonstrated trace element requirement

IMPORTANT

- Not compatible with soluble calcium or phosphate based inputs.
- Avoid spraying close to harvest if produce is susceptible to staining.
- **Note:** Product in 1000 L tanks may weigh over 1 tonne. Forklift with 2 tonne lifting capacity is recommended.

Disclaimer: Any recommendations provided by Nutri-Tech Solutions Pty Ltd (NTS) or its Distributors are advice only. As no control can be exercised over storage, handling, mixing, application or use, or weather, plant or soil conditions before, during or after application (all of which may affect the performance of our program), no responsibility for, or liability for any failure in performance, losses, damages, or injuries (consequential or otherwise), arising from such storage, mixing, application, or use will be accepted under any circumstances whatsoever. NTS recommend you contact an Agronomist prior to product application. The Buyer assumes all responsibility for the use of any NTS products.

TYPICAL ANALYSIS W/W

Iron (Fe) (as sulfate).....	7.21%
Total Nitrogen (N) (as organic).....	0.52%
Total Potassium (K).....	0.34%
Potassium (as organic).....	0.16%
Potassium (as hydroxide).....	0.14%
Potassium (as silicate).....	0.04%
Sulfur (S).....	4.41%
Carbon (C) (as Shuttle® chelator).....	4.38%
Zinc (Zn).....	0.19%
Manganese (Mn).....	0.15%
Boron (B).....	866 mg/L
Magnesium (Mg).....	678 mg/L
Copper (Cu).....	490 mg/L
Silicon (Si).....	435 mg/L
Molybdenum (Mo).....	98 mg/L
SG.....	1.3
pH.....	3.6 – 4.6
Conductivity.....	33 – 53 mS/cm
Appearance.....	Brown liquid

INSTRUCTIONS

Stir well before use. Rates and frequencies should be adjusted according to crop monitoring. Where higher water rates are required for good foliar coverage, do not exceed maximum product rate per hectare. Sensitive foliage or plants should be test sprayed prior to full scale application. Ensure suitable spray conditions (e.g. temperature, humidity, wind-speed), prior to foliar application. Compatibility and/or performance cannot be guaranteed when combined with other products. Jar test for compatibility and spray test on small area before wide-spread use.

STORAGE & HANDLING

- Read safety directions before use.
- Store in a cool dry area out of direct sunlight. This product has been tested to store safely down to 5°C. Crystallisation or sedimentation may occur below 5°C. Do not pre-mix or store in diluted form. Seal lid/cap immediately after use.

YOUR LOCAL NTS DISTRIBUTOR: